



PRECAST CONCRETE FLARED END SECTION TYPE A

147



MINIMUM DIMENSIONS									
PIPE Dia	Α	В	С	D	Ε	SLOP			
300 mm (12")	100 mm (4")	45 mm (1 ³ / ₄ ")		600 mm (24")	600 mm (24")				
450 mm (18")	225 mm (9'')	58 mm (2 ¹ / ₄ ")	2	675 mm (27")	910 mm (36")				
600 mm (24")	240 mm (9 1/2")	70 mm (2¾4")	Note	1100 mm (43 ¹ / ₂ ")	1210 mm (48")	flatter			
750 mm (30")	300 mm (12")	83 mm (3 ¹ / ₄ ")	See N	1370 mm (54")	1520 mm (60")	or #			
900 mm (36")	375 mm (15")	95 mm (3¾'')	Š	1600 mm (63")	1820 mm (72")				
1050 mm (42")	525 mm (2l")	107 mm (4 ¹ / ₄ ")		1600 mm (63")	1980 mm (78")	(2:1)			
1200 mm (48")	600 mm (24")	119 mm (45/8")		1820 mm (72")	2130 mm (84")				
1350 mm (54")	675 mm (27'')	131 mm (51/8")		1650 mm (65")	2080 mm (82")				



SECTION B-B



END VIEW

MINIMUM DIMENSIONS								
PIPE Dia	Α	В	С	D	E	SLOPE		
300 mm (I2")	100 mm (4'')	39 mm (l ¹ / ₂ ")		550 mm (21¾4")	600 mm (24")			
450 mm (18")	225 mm (9")	45 mm (1 ³ / ₄ ")		630 mm (25")	910 mm (36")	<u> </u>		
600 mm (24")	240 mm (9 ½")	58 mm (2 ¹ / ₄ ")	2	1060 mm (42")	1210 mm (48")	i2 (2:1) or flatter		
750 mm (30")	300 mm (12")	71 mm (2¾'')	e e	1340 mm (53")	1520 mm (60")	7		
900 mm (36")	375 mm (15")	81 mm (3 ¹ / ₄ ")	See Note 2	1570 mm (62")	1820 mm (72")	=		
1050 mm (42")	525 mm (2l")	90 mm (3½")	0,	(63")	1980 mm (78")	2 (2		
(48")	600 mm (24")	(4")		(72")	2130 mm (84")	_		
1350 mm (54")	675 mm (27'')	II2 mm (43%")		1670 mm (66")	2080 mm (82")			

PRECAST CONCRETE FLARED END SECTION TYPE B

NOTES:

- I. Contractor has the option of using either Type A or B precast concrete flared end section.
- 2. C dimension varies by manufacturer and will be paid for as concrete pipe.

STATE OF CALIFORNIA DEPARTMENT OF TRANSPORTATION CONCRETE FLARED END SECTIONS

These "Standard Plans for Construction of Local Streets and Roads" contain units in two systems of measurement: international System of Units (SI or "metric") and United States Standard Measures shown in the parentheses (). The measurements expressed in the two systems are not necessarily equal or interchangeable. See the "Foreword" at the beginning of this publication.